



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

Mr. Allen Blem
Chemtura Corporation
199 Benson Road
Middlebury, Connecticut 06749

JUN 20 2013

Subject: Notification for Alternate Brand Name per PRN 98-10
Submission date: 6/11/13
Product Name: Flupro-EC
EPA Reg. No. 400-600
Decision Number 479861

Dear Registrant:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10. The Registration Division (RD) has conducted a review of this request for applicability under PRN 98-10 and finds that the action(s) requested falls within the scope of PRN-98-10.

The Alternate Brand Name **Flupro** dated 6/11/13 is "acceptable" and will be placed in the regulatory file.

If you have questions concerning this letter, please call Banza Djapao at 703-305-7269 or via email at djapao.banza@epa.gov or you may call me at 703-308-9525.

Sincerely,

A handwritten signature in black ink, appearing to read "Driss Benmhend".

Driss Benmhend
Acting Product Manager 20
Fungicide Branch
Registration Division (7504P)

EPA	United States Environmental Protection Agency Washington, DC 20460	<input type="checkbox"/> Registration Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number
-----	--	--	-----------------------

Application for Pesticide - Section I

1. Company / Product Number 400-600	2. EPA Product Manager Tony Kish	3. Proposed Classification [X] None [] Restricted
4. Company / Product (Name) FLUPRO-EC	PM# 22	
5. Name and Address of Applicant (Include ZIP Code) Chemtura Corporation 199 Benson Road Middlebury, Connecticut 06749 [] check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(I), my product is similar or identical in composition and labeling to: EPA Reg. No. 400-600 Product Name FLUPRO	

Section II

[] Amendment - Explain below.	[] Final printed labels in response to Agency letter dated.
[] Resubmission in response to Agency letter dated _____	[] "Me Too" Application.
[X] Notification - Explain below.	[] Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of Alternate Brand Name per Notice 98-10. This notification is consistent with the provisions of PR Notice 98-10 and EPA's regulations at 40 CFR 152.46 and no other changes have been made to the labeling or CSF of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR-Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:

Child-Resistant Packaging [] Yes* [X] No * Certification must be submitted	Unit Packaging [] Yes [X] No	Water Soluble Packaging [] Yes [X] No	2. Type of Container [X] Metal NO CHANGE IN [X] Plastic PACKAGING [] Glass CONTAINER. [] Paper [X] Other (Specify) Gallon-Plastic. Bulk-Metal
	If "Yes" No. Per container Unit Packaging wgt	If "Yes" No. Per container Packaging wgt	

3. Location of Net Contents Information [X] Label [] Container	4. Size(s) Retail Container 1 Gallon - Bulk	5. Location of Label Directions [X] On Label [X] On Labeling accompanying product Other Accordian label. Face label with attached booklet.
6. Manner in Which Label is Affixed to Product		
		[X] Lithograph [X] Paper glued [] Stenciled

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)

Name Michael R. Russo	Title Registration Specialist	Telephone No. (Include Area Code) (203) 573-2971 michael.russo@chemtura.com
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statements may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamp)
2. Signature 	3. Title Registration Group Manager, N. America	
4. Typed Name Allen R. Blem	5. Date June 11, 2013	



Chemtura Corporation
199 Benson Road
Middlebury, CT 06749
203-573-2000 tel
203-573-2958 fax
www.chemtura.com

3/7
6/13

June 11, 2013

Document Processing Desk (**NOTIF**)
Office of Pesticide Programs (**7504P**)
U.S. Environmental Protection Agency
One Potomac Yard, Room S-4900
2777 S. Crystal Drive
Arlington, Virginia 22202-4501

Attention: Mr. Tony Kish (7504P)
Fungicide Branch, PM Team 22

Subject: **Notification for Alternate Brand Name.**

Dear Mr. Kish,


Chemtura Corporation (Company No. 400) is submitting an Application for Amendment of Registration by the Notification Method for an Alternate Brand Name for a registered product. The FLUPRO-EC registration was transferred from SRM Chemical Ltd. Co. (73631-2) to Chemtura Corporation (400-600) on April 5, 2013. Before the transfer, Chemtura as the sub-registrant sold under the FLUPRO name and would like to add FLUPRO as an alternate brand name as the registrant.


EPA Reg. No.: 400-600
Primary Brand Name: FLUPRO®-EC
Proposed Alternate Brand Name: **FLUPRO®**

This submittal includes the following documentation:

- One (1) copy EPA Form 8570-1;
- One (1) copy of the proposed label highlighted to indicate the Notification change.

If you have any questions regarding this submission, please contact Michael R. Russo at 203-573-2971 or email: michael.russo@chemtura.com.

Sincerely,
Chemtura Corporation

Allen R. Blem
Registration Group Manager, N. America



4/7

NOTIFICATION

JUN 20 2013

FLUPRO®

For Control of Suckers on Tobacco

Net Contents:

COMPOSITION

Active Ingredient: (% by weight)
 flumetralin (2-chloro-N-[2,6-dinitro-4-(trifluoromethyl)phenyl]-N-ethyl-6-fluorobenzenemethanamine)13.7%*
 Other Ingredients** :86.3%
 Total:100.0%

*contains 1.2 lb. active ingredient per gallon, or 144 grams active ingredient per liter

**contains petroleum distillate

KEEP OUT OF REACH OF CHILDREN CAUTION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

FIRST AID

- | | |
|--------------------------------|---|
| IF ON SKIN OR CLOTHING: | <ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice. |
| IF SWALLOWED: | <ul style="list-style-type: none"> • Call a poison control center or doctor immediately for treatment advice. • Do not give any liquid to the person. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person. |
| IF IN EYES: | <ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice. |

NOTE TO PHYSICIAN: Contains petroleum distillate. Vomiting may cause aspiration pneumonia.

EMERGENCY ASSISTANCE: Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

MEDICAL EMERGENCY	800-292-5898
TRANSPORTATION EMERGENCY (CHEMTREC)	800-424-9300
PRODUCT SAFETY DATA (MSDS)	866-430-2775


For PRODUCT USE INFORMATION: Call 800-243-2850

EPA REG. NO. 400-600
EPA EST. NO.
004/040513
Product of Guatemala

Distributed by:
Chemtura Corporation
199 Benson Road
Middlebury, CT 06749



www.ChemturaAgroSolutions.com



**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Harmful if swallowed. Causes moderate eye injury, Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

Personal Protective Equipment (PPE)

Wear chemical resistant gloves such as those made out of Barrier Laminate or Viton. If you want more options, follow the instructions for category G on an EPA chemical resistance category selection chart.

Applicators and Other Handlers Must Wear: long-sleeved shirt; long pants; and shoes plus socks.

User Safety Requirements: Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

When handlers use closed systems or enclosed cabs in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-5)], the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash water or rinsate. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas.

This product has a potential for runoff for several months or more after application. Poorly draining soils and soils with shallow water tables are more prone to produce runoff that contains this product. A level, well maintained vegetative buffer strip between areas to which this product is applied and surface water features such as ponds, streams and springs will reduce the potential for contamination of water from runoff. In order to reduce runoff of this product it is recommended that applications are not made within 48 hours of a predicted rainfall event. Sound erosion control practices will reduce this product's contribution to surface water contamination.

Use coarse spray only, directed down tobacco stalk. Do not use fine sprays. Avoid drift to adjacent crops as injury may result.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read all label directions carefully before use.

Do not apply this product through any type of irrigation system.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the **restricted entry interval (REI) of 12 hours**. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls, shoes plus socks; and chemical-resistant gloves made of any waterproof material.

FAILURE TO FOLLOW THE DIRECTIONS FOR USE AND PRECAUTIONS CONTAINED IN THIS LABEL MAY RESULT IN POOR SUCKER CONTROL AND/OR CROP INJURY.

FOR USE ON TOBACCO

FLUPRO® is a plant growth regulator for control of suckers on flue-cured, burley, Maryland, and cigar tobacco. Read this label carefully and observe all directions and precautions. FLUPRO mixes readily with water to form a yellow, creamy emulsion. If a spray mixture is allowed to stand several hours, agitate thoroughly before resuming treatments. NOTE: DO NOT mix FLUPRO with insecticides or fungicides. See APPLICATION NOTES for additional important information.

APPLICATION EQUIPMENT

FLUPRO may be applied with motorized field sprayers (high-clearance or tractor-mounted) equipped with solid-cone nozzles that deliver a coarse spray. For example, a three solid-cone nozzle arrangement directed over the row, operating at 20 to 25 pounds per square inch (psi), delivers a coarse spray that runs down the stalk and wets suckers in the leaf axils. This product may also be applied to individual plants by using a hand-held dropline, a knapsack sprayer, or jug application. All sprayers should be equipped with a pressure regulator and pressure gauge. This product must not be applied greater than 4 feet above crop or crop canopy.

TIMING OF APPLICATION

ON FLUE-CURED TOBACCO, apply FLUPRO 5 to 7 days after the last fatty alcohol contact treatment.

ON AIR-CURED (BURLEY, MARYLAND, CIGAR) TOBACCO, FLUPRO may be applied just before or immediately after topping. If this product is applied after topping, apply within 24 hours of topping.

Top leaves to be harvested should be at least 8 inches long at treatment time. All suckers greater than 1 inch long should be removed by hand prior to treating with this product. Any suckers that were shielded and escaped treatment should be removed by hand two to three weeks after treatment.

Sucker control may not be consistent within a field if tobacco plants are not uniform when treated. In fields where a contact material (fatty alcohol) has not been used and a wide range of flowering exists, early flowering plants should be topped and suckers removed by hand. Then, when most plants are in the elongated button to early flower stage, remove all suckers one inch or longer from all plants, and then apply FLUPRO. If this product is applied using precision hand application, early flowering plants can be topped and treated selectively; later flowering plants can be topped and treated as they reach the proper treatment stage; and a contact may not be needed.

METHOD AND RATE OF APPLICATION

Apply this product alone or in a tank mix with ROYAL MH-30® or other maleic hydrazide product. Consult with your local Extension Service tobacco specialist for recommended treatment in your area. For all application methods, excess mixture should not be allowed to reach the ground line and puddle around the base of each plant.

A. TANK MIXES with ROYAL MH-30® or other maleic hydrazide product

Before using any tank mix combination, carefully read and follow the label directions of all products used. Mix 2 quarts of FLUPRO with 1/2 to full rate of ROYAL MH-30 (or other maleic hydrazide product), in sufficient water to total 50 gallons. Remove all suckers one inch long or longer and apply at the recommended time for application of maleic hydrazide. Apply the mixture as a coarse spray at a volume

of 50 gallons/A with a spray pressure maintained at 20 to 25 psi. For best results, follow precautions and restrictions on the FLUPRO and maleic hydrazide labels.

Application sequence: (1) Apply contact material according to its label directions. (2) After removing all suckers one inch long or longer, apply the tank mix of FLUPRO and maleic hydrazide at the timing suggested on the maleic hydrazide product label. (3) Make only one application of the tank mixture of FLUPRO plus maleic hydrazide per tobacco crop.

B. SEQUENTIAL TREATMENT PROGRAMS

WHEN APPLIED BEFORE MALEIC HYDRAZIDE TREATMENT: Apply 2 quarts of this product in 49.5 gallons of water per acre at the elongated button to early flower growth stage. Apply as a coarse spray. Top leaves to be harvested should be at least 8 inches' long at treatment time. Five to seven days later, apply ROYAL MH-30 or other maleic hydrazide product according to label directions, precautions and restrictions.

WHEN APPLIED AFTER MALEIC HYDRAZIDE TREATMENT: Apply the regular schedule of contact sucker chemicals. Follow with ROYAL MH-30 or other maleic hydrazide product according to label directions, precautions and restrictions. About 3 weeks later, remove all suckers one inch long or longer and apply FLUPRO at 2 quarts in 49.5 gallons of water per acre. Apply as a coarse spray to get rundown on the stalk. To increase effectiveness for extended control, you may add a commercial non-ionic surfactant similar to X-77® or R-11® at the rate of 1 quart per 100 gallons of spray solution (0.25%). The commercial surfactant must be cleared for application to growing crops.

®X-77 is a registered trademark of Loveland Industries, Inc.

®R-11 is a registered trademark of Wilbur-Ellis Company

C. USED ALONE

One application of FLUPRO will provide full season control of excessive sucker development in tobacco. Remove all suckers one inch long or longer before application.

WHEN USING MOTORIZED SPRAYERS OR HAND-HELD DROPLINES, mix 1 gallon FLUPRO in 49 gallons of water and apply at a rate of 30 to 50 gallons spray volume per acre. Use the higher spray volume in tall types of tobacco, such as flue-cured, burley, Maryland, and cigar. Use the lower spray volume only in short types of tobacco, such as dark. Apply only once per season. Spray volume should be sufficient to run down the stalk, contacting each leaf axil and just reach the ground line. Excessive spray volume beyond the point of runoff to the soil may result in carryover injury to rotational crops. Apply FLUPRO as a coarse spray directed downward to the top of the tobacco stalk. With motorized sprayers, this is best accomplished with 3 full cone nozzles per row; one nozzle directed downward over the center of the row and one 7 to 9 inches to each side of the center, directed at the top of the stalk. Maintain nozzles at a height of 12 to 18 inches above the top of the stalk during application. Maintain boom pressure at 20 to 25 psi, not exceeding 30 psi.

WHEN APPLYING THIS PRODUCT USING THE KNAPSACK SPRAYER OR JUG METHOD, mix 2.5 fluid ounces of FLUPRO per gallon of water and apply about one-half fluid ounce of spray mixture per plant. Apply the spray mixture at a rate sufficient to run the stalk, contacting each leaf axil and just reach the ground line. Excessive spray volume may result in carryover injury to rotational crops. Do not exceed 30 gallons spray volume per acre when using hand application methods. One gallon of spray mixture should treat about 250 plants.

APPLICATION NOTES

1. Apply FLUPRO only once per tobacco crop, whether in tank-mix combination, in sequence, or alone. DO NOT mix with insecticides or fungicides.
2. Carefully follow the use rates and spray volume recommended, and spray field uniformly. Volume should be sufficient to run down the stalk, contact the leaf axil, and just reach the ground line.
3. This product is most effective when the spray contacts the sucker buds directly. In fields where tobacco plants are lodged or leaning, plants should be straightened prior to treatments, so spray mixture runs down the stalk evenly and contacts all sucker buds. FLUPRO will not control large suckers. **All suckers one inch or longer on all plants must be removed before application.** Suckers that escape treatment should be removed by hand about two to three weeks after application.
4. Timing is important. For best results, applications should be made at timing described above. Applications made before the elongated button stage of growth may result in chemical topping or distortion of leaves that were too immature at time of application. Immature leaves that are less than 8 inches long at the time of treatment with this product may develop cupped or curled appearance. Spraying too late may result in poor sucker control.
5. Rain occurring more than two hours after FLUPRO treatments should not affect the effectiveness of this product. Refer to labels of tank mix partner products for any additional rain-free precautions.
6. Do not applying this product to wet plants, such as immediately after heavy rain or when there is heavy dew.
7. Plants that are under drought stress when treated may not respond to sucker control products properly.
8. Applying treatments on windy days is not recommended, as sprays may not be deposited uniformly on the leaf axils and sucker buds.

SPRAY DRIFT MANAGEMENT

Non-target terrestrial plants can be adversely affected when exposed to this product. Avoid spray drift to non target terrestrial plants during application. Do not apply this product if the wind direction does not favor on-target deposition. This product must not be applied greater than 4 feet above crop or crop canopy.

PRECAUTIONS AND RESTRICTIONS

- Plant-Back Interval: DO NOT plant treated area with any crop except tobacco for 10 months after treatment.
- To avoid illegal residues and possible injury to rotational crops planted in the autumn, or following spring, do not apply excessive spray volume to the point of runoff onto the soil. FLUPRO residues in the soil may interact with dinitro-aniline herbicides (such as Treflan® or Prowl®) to increase early season stunting. Thorough disking and deep tillage in the autumn are recommended where an excessive amount of FLUPRO may have reached the soil.
- When tobacco is in a state of very rapid, succulent growth, due to high nitrogen and rainfall, FLUPRO may cause crop injury. Under these conditions, use only by hand application (e.g., hand-held dropline, knapsack sprayer, or jug application), and avoid contacting the leaves with the spray solution.

Treflan® is a registered trademark of Dow AgroSciences
Prowl® is a registered trademark of BASF

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Do not store near fertilizers, seeds, insecticides or fungicides. Store in original container only. After partial use, replace lid and close tightly. Store in a secure place that is temperate and dry. Store above 32°F.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

For minor spills, leaks, etc., follow all precautions provided in this label and clean up immediately. Take special care to avoid contamination of equipment and facilities during cleanup and disposal of wastes.

CONTAINER HANDLING:

Nonrefillable Container

Plastic Containers: Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Then offer container for recycling, reconditioning, or puncture and dispose of in a sanitary landfill, by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Triple rinse as follows: For containers with capacities equal to or less than 5 gallons: Empty the remaining contents into application or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

Recycling: Once cleaned, some agricultural plastic pesticide containers can be taken to a container collection site or picked up for recycling. To find the nearest site, contact your chemical dealer or manufacturer, or contact the Ag Container Recycling Council (ACRC) at 1-877-952-2272 (toll free) or www.acrecycle.org.

Refillable Container

Refill this container only with pesticide. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller.

To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this procedure two more times.

[Bulk/tank truck, return: No container type statement and instructions for residue removal are required.]

IMPORTANT NOTICE-Seller warrants that this product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with the directions and instructions specified on the label under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product, contrary to label instructions, or under conditions not reasonably foreseeable to seller, and to the extent consistent with applicable law, the buyer assumes the risk of any such use.

©FLUPRO is a registered trademark of Chemtura Corporation
©MH-30 is a Registered Trademark of Chemtura Corporation
©Copyright 2013, Chemtura Corporation
U.S. Patent Nos. 6,018,079 and 6,137,009